

Auditorium Chairs / Cinema Chairs

Specifications:


- 1.Backboard: Hi-Q multiply plywood in which the burst size of Carbine meets the national standard .
 - 2.Seat-board: Hi-Q multi-layer plywood, with sound absorbing pore which ensure the requirement of sound absorbing.
 - 3.Foam of cushion: High rebound stereotypes of cold foam sponge, the Density of foam reaches 35-50kg/m3.
 - 4.Fabrics: hemp soft cloth, Flame retardant, abrasion resistant, resistance to soiling, antistatic, resistant to fading, resistant to deformation and comfortable.
 - 5.Rebound structure : damping design, reset exactly, Low noise ,noise Level:≤20decibel.
- Arm frame: Q235 steel welded molding, Pickling treatment by electrostatic spray forming.
- Arm: beech wood arm which surface is smooth and comfortable.
- Writing Pad: it is cryptic writing pad in right arm. Easy to take out and put into armrest box.
6. The chair can be equipment power jack, USB jack, Microphone jack, simultaneous interpretation Jack etc.




2008 Bei Jing Olympic Games Press Center Chair Project;
JUYI Supplied Chair Model No.: JY-605R ; Qty: 500 Nos;



⊗ ⊗ ⊗ JY-302



⊗ ⊗ ⊗ JY-303



⊗ ⊗ ⊗ JY-308



⊕ ⊕ ⊕ JY-600



⊕ ⊕ ⊕ JY-601



⊕ ⊕ ⊕ JY-602




⊕ ⊕ ⊕ JY-603



⊕ ⊕ ⊕ JY-605R



⊕ ⊕ ⊕ JY-605M



⊕ ⊕ ⊕ JY-606M



⊕ ⊕ ⊕ JY-607



⊕ ⊕ ⊕ JY-607



⊗ ⊗ ⊗ JY-608



⊗ ⊗ ⊗ JY-612



⊗ ⊗ ⊗ JY-613



⊗ ⊗ ⊗ JY-615S



⊗ ⊗ ⊗ JY-615S



⊗ ⊗ ⊗ JY-615SM



⊕ ⊕ ⊕ JY-615SM



⊕ ⊕ ⊕ JY-616



⊕ ⊕ ⊕ JY-616



⊕ ⊕ ⊕ JY-617



⊕ ⊕ ⊕ JY-618



⊕ ⊕ ⊕ JY-620



⊗ ⊗ ⊗ JY-621



⊗ ⊗ ⊗ JY-629



⊗ ⊗ ⊗ JY-670



⊕ ⊕ ⊕ JY-765T



⊕ ⊕ ⊕ JY-780



⊕ ⊕ ⊕ JY-901



⊗ ⊗ ⊗ JY-902



⊗ ⊗ ⊗ JY-906



⊗ ⊗ ⊗ JY-907



⊕ ⊕ ⊕ JY-909



⊕ ⊕ ⊕ JY-910



⊕ ⊕ ⊕ JY-911



⊗ ⊗ ⊗ JY-912



⊗ ⊗ ⊗ JY-915



⊗ ⊗ ⊗ JY-916



⊗ ⊗ ⊗ JY-918




⊗ ⊗ ⊗ JY-919



⊗ ⊗ ⊗ JY-926



⊕ ⊕ ⊕ JY-930



⊕ ⊕ ⊕ JY-932



⊕ ⊕ ⊕ JY-933



⊕ ⊕ ⊕ JY-955



⊕ ⊕ ⊕ JY-955



⊕ ⊕ ⊕ JY-987



⊕ ⊕ ⊕ JY-989



⊕ ⊕ ⊕ JY-989x



⊕ ⊕ ⊕ JY-995



⊗ ⊗ ⊗ JY-996T




⊗ ⊗ ⊗ JY-998T



⊗ ⊗ ⊗ JY-998T



⊕ ⊕ ⊕ JY-998M



⊕ ⊕ ⊕ JY-999M



⊕ ⊕ ⊕ JY-999M

Auditorium Chair's Assesories Display



Row number plate



Seat number plate



Row number plate



Aisle number plate



Aisle number plate



LED number plate



Aisle number plate



Cup holder




Fold cup holder



Book Net

Auditorium Chair's Material of Chairs




Seat Pan




Backrest cushion



Seat cushion



Material Small Sheet Display



Backrest injection foam



Seat pan injection foam



Specifications:

backrest:high-quality polyurethane cold-foamed, the density of foam sponge (45-65kg/m2) is comfortable for human body, to ensure the fabric cloth could stick to the foam. The internal high-quality cold steel and veneer are made to fix up spring, which make sure every chair is comfortable ,durable ,non-deformed, and elegant appearance .

Lifting mechanism: Tip- up seat with combination of spring and damping provides the lifetime of quite return.. which is less than 25db.

The out cover of the backrest is made of red beech wood which is smooth and comfortable, and the sound adsorption holes are designed on the shell of the seat pan.

Fabric: hemp soft cloth, Flame retardant, abrasion resistant, resistance to soiling, antistatic, resistant to fading, resistant to transformation and comfortable.